

NethServer 6 - Enhancement #1679

Hylafax: create pseudonym for faxmaster group

02/26/2013 11:41 AM - Giacomo Sanchietti

Status:	CLOSED	Start date:	03/15/2013
Priority:	Normal	Due date:	03/15/2013
Assignee:		% Done:	100%
Category:	nethserver-hylafax		
Target version:	v6.4-alpha2		
Resolution:		NEEDINFO:	
Description			
Automatic creation of a faxmaster pseudonym for any configured domain. The pseudonym must point to faxmaster group.			
Related issues:			
Related to NethServer 6 - Enhancement # 1665: Support domainless pseudonyms		CLOSED	02/26/2013 02/26/2013
Related to NethServer 6 - Enhancement # 1692: Low gid for builtin groups		CLOSED	02/28/2013 02/28/2013

History

#1 - 02/26/2013 04:02 PM - Davide Principi

- Parent task deleted (#1665)

#2 - 03/12/2013 02:19 PM - Giacomo Sanchietti

- Status changed from NEW to ON_DEV

- % Done changed from 0 to 90

The faxmaster alias is automatically created.

#3 - 03/15/2013 05:58 PM - Davide Principi

- Due date set to 03/15/2013

- Status changed from ON_DEV to MODIFIED

- Assignee set to Davide Principi

- Start date set to 03/15/2013

- % Done changed from 90 to 100

The pseudonym faxmaster is created automatically only if `[[nethserver-mail-server]]` package has been previously installed and points to faxmaster `removable=no` group. The spec file requires explicitly the `[[nethserver-mail-server]]` package.

#4 - 03/21/2013 04:18 PM - Davide Principi

- Status changed from MODIFIED to CLOSED

#5 - 03/21/2013 04:19 PM - Davide Principi

State set to closed on NethServer 6.4 alpha2 release