

NethServer 6 - Bug #2742

Hylafax: no automatic fax printing

05/09/2014 03:51 PM - Giacomo Sanchietti

Status: CLOSED	Start date:
Priority: Normal	Due date:
Assignee:	% Done: 100%
Category: nethserver-hylafax	
Target version: v6.5	
Security class:	Resolution:
Affected version: v6.5-final	NEEDINFO: No
Description	
<p>After configuration of automatic fax printing on a local printer, faxes are not sent to the printer.</p> <p>Configuration:</p> <pre>hylafax=service ... PrintReceived=enabled PrinterDriver=ljet4 PrinterName=Samsung_ML-2850_Series ...</pre> <p>Expected behavior: received faxes must be printed on configured printer.</p>	
Related issues:	
Related to NethServer 6 - Bug # 2746: hylafax: notify fails if tsi has spaces	CLOSED

Associated revisions

Revision 89ff8c52 - 05/09/2014 09:56 AM - Giacomo Sanchietti

Fax dispatch: fix automatic printing. Refs #2742

Revision 9c5b7e57 - 05/09/2014 10:41 AM - Giacomo Sanchietti

Automatic print: pass FILE parameter. Refs #2742

Revision 16600a47 - 05/09/2014 10:42 AM - Giacomo Sanchietti

FaxAccounting: avoid unescaped blank chars. Refs #2742

Revision 1cfcba2d - 05/14/2014 11:55 AM - Giacomo Sanchietti

Web UI: fix automatic print selection. Refs #2742

History

#1 - 05/09/2014 03:54 PM - Giacomo Sanchiotti

- Status changed from *NEW* to *TRIAGED*
- % Done changed from 0 to 20

Automatic printing is controller by script `/var/spool/hylafax/etc/dispatch/90print`, which includes the file `/var/spool/hylafax/etc/dispatch/print.conf`.

Example of `print.conf`:

```
print=enabled
name=Samsung_ML-2850_Series
```

The `90print` script includes the `print.conf` file from local directory, but the path is wrong. The script must use an absolute path.

Tested patch:

```
--- /tmp/90print 2014-05-09 15:03:17.887834123 +0200
+++ 90print 2014-05-09 15:50:56.048740505 +0200
@@ -1,6 +1,6 @@
#!/bin/bash

-. print.conf
+. /var/spool/hylafax/etc/dispatch/print.conf

FILE=$1

if [ "$print" = "enabled" ]; then
    /usr/bin/tiff2ps -a -w 8.20 -h 11.54 -H 11.90 $FILE | lpr -P $name
```

#2 - 05/09/2014 03:54 PM - Giacomo Sanchiotti

- Status changed from *TRIAGED* to *ON_DEV*
- Assignee set to *Giacomo Sanchiotti*
- % Done changed from 20 to 30

#3 - 05/09/2014 03:56 PM - Giacomo Sanchiotti

- Status changed from *ON_DEV* to *MODIFIED*
- % Done changed from 30 to 60

#4 - 05/09/2014 04:51 PM - Giacomo Sanchiotti

- Status changed from *MODIFIED* to *ON_QA*
- Assignee deleted (*Giacomo Sanchiotti*)
- % Done changed from 60 to 70

Package in `nethserver-testing`:

- `nethserver-hylafax-1.0.6-6.0git1cfcba2d.ns6.noarch.rpm`

Test case

- Configure a printer inside CUPS

- Configure the fax server to print using the new printer
- Receive a fax and check the fax is automatically printed

See also #2746

#5 - 05/26/2014 10:17 AM - Massimo Palazzetti

- Status changed from *ON_QA* to *VERIFIED*
- % Done changed from 70 to 90

#6 - 05/26/2014 10:19 AM - Giacomo Sanchietti

- Status changed from *VERIFIED* to *ON_QA*
- % Done changed from 90 to 70

Must be verified with above rpm.

#7 - 05/30/2014 06:26 PM - Massimo Palazzetti

- Assignee set to *Massimo Palazzetti*

#8 - 05/30/2014 06:26 PM - Massimo Palazzetti

- Status changed from *ON_QA* to *VERIFIED*
- Assignee deleted (*Massimo Palazzetti*)
- % Done changed from 70 to 90

Tested with the right packet

#9 - 06/06/2014 03:02 PM - Giacomo Sanchietti

- Status changed from *VERIFIED* to *CLOSED*
- % Done changed from 90 to 100

Release in nethserver-updates:

- nethserver-hylafax-1.0.7-1.ns6.noarch.rpm